

# Adder Touch Screen Kiosk



# Adder Touch Screen Kiosk 15"




## Product specification

Screen size	396 mm / 15.6 inches
Screen active area	344.23 x 193.54 mm / 13.55 x 7.62 inches
Screen type	Projected Capacitive
Display brightness	270 nits
Screen resolution	1366 x 768 px
Touch response time	10 ms
Contrast ratio	500:1
Viewing angle	(H/V) 80°/160°
Life cycle	50'000 hours
Input video format	Analog VGA and DisplayPort
Touch screen connector	USB
System operation	24/7/365
Screen orientation	Landscape
Screen side	Single
Operating temperature	0° to 40°; Storage -20° to 60°
Environment humidity	20% to 80%; Storage 10% to 95%
Hardware protection	Active cooling with dust protection
Enclosure material	Steel
Vac supply	12 VDC +/- 5%
Power consumption	15 W; Sleep 1.5W
Simultaneous touch points	10
Multimedia player / PC	Available upon request
Height	1128 mm/44"
Width	442 mm/17.4"
Depth	300 mm/11.8"

**Adder Touch Screen Kiosk 15"** is a freestanding interactive multimedia kiosk for indoor use at retail or public spaces.

Robust welded steel case, glass protected touch screen, active cooling and dust protection protects hardware from overheating or theft. The minimalistic design makes the Adder Digital Kiosk perfectly suited for placement at retail, shopping malls, hotel lobbies, exhibitions etc. The front plate can be fitted with an easily interchangeable magnetic banner.



# Adder Touch Screen Kiosk 22"




**Adder Touch Screen Kiosk 22"** is a freestanding interactive multimedia kiosk for indoor use at retail or public spaces.

Robust welded steel case, glass protected touch screen, active cooling and dust protection protects hardware from overheating or theft. The minimalistic design makes the Adder Digital Kiosk perfectly suited for placement at retail, shopping malls, hotel lobbies, exhibitions etc. The front plate can be fitted with an easily interchangeable magnetic banner.

## Product specification

Screen size	546 mm/21,5"
Screen active area	476.6 x 268.1 mm/18.8 x 10.6"
Screen type	Projected Capacitive
Display brightness	225 nits
Screen resolution	1920 x 1080 px
Touch response time	5 ms
Contrast ratio	1000:1
Viewing angle	(H/V) 178/160°
Life cycle	50 000 hours
Input video format	HDMI, VGA, Displayport
Touch screen connector	USB
System operation	24/7/365
Screen orientation	Landscape
Screen side	Single
Operating temperature	0° to 40°. Storage -20° to 60°
Environment humidity	20% to 80 %. Storage 10% to 95%
Hardware protection	Active cooling with dust protection
Enclosure material	High quality welded steel
Vac supply	AC 230 V, 50/60 Hz
Power consumption	20W. Sleep 1,5 W
Simultaneous touch points	10
Multimedia player / PC	Available upon request
Height	1223 mm/48.15"
Width	569 mm/22.4"
Depth	350 mm/13.78"
Weight (product)	35 kg/77 lbs
Weight (packaging)	20 kg/44 lbs
Weight (total)	55 kg/121 lbs



# Adder Touch Screen Kiosk 32"




## Product specification

Screen size	813 mm/21,5"
Screen type	Projected Capacitive
Display brightness	225 nits
Screen resolution	1920 x 1080 px
Touch response time	5 ms
Contrast ratio	1000:1
Viewing angle	(H/V) 178/160°
Life cycle	50 000 hours
Input video format	HDMI, VGA, Displayport
Touch screen connector	USB
System operation	24/7/365
Screen orientation	Landscape
Screen side	Single
Operating temperature	0° to 40°. Storage -20° to 60°
Environment humidity	20% to 80 %; Storage 10% to 95%
Hardware protection	Active cooling with dust protection
Enclosure material	High quality welded steel
Vac supply	AC 230 V, 50/60 Hz
Power consumption	42W. Sleep 1,5 W
Simultaneous touch points	10
Multimedia player / PC	Available upon request
Height	1223 mm/48.15"
Width	800 mm/31.5"
Depth	600 mm/23.6"
Weight	(product) 76 kg/168 lbs

**Adder Touch Screen Kiosk 32"** is a freestanding interactive multimedia kiosk for indoor use at retail or public spaces.

Robust welded steel case, glass protected touch screen, active cooling and dust protection protects hardware from overheating or theft. The minimalistic design makes the Adder Digital Kiosk perfectly suited for placement at retail, shopping malls, hotel lobbies, exhibitions etc. The front plate can be fitted with an easily interchangeable magnetic banner.



# Case for Touch Screen Kiosk

A safe and practical case for freighting the Adder **Touch Screen Kiosk 15"**. Very robust design fitted with wheels and with tailor made solutions made exclusively for the Adder Digital Kiosk system. Cases are also available for the 22" and 32" kiosks.

## Measurements for Case for Digital Kiosk Touch

- Length: 48 in (122 cm)
- Width: 21 in (52,3 cm), **25 in for 22"**
- Height: 19 in (49,1 cm)
- Weight: 55 lbs (25 kg), **66 lbs for 22"**

